

MA-5000B/T INDUSTRIAL AIR COOLER

Maxima Air's MA-5000B/T air cooler is a cooling powerhouse for large industrial spaces. With a compact 36"x36" footprint, it packs a powerful punch. Its high airflow capacity of 5,000 CFM and large cooling pads ensure efficient temperature control, while the long-lasting 20" stainless steel fan delivers reliable cooling.



For over 30 years, Maxima Air, a Pakistani manufacturer, has been a leader in industrial cooling solutions. We specialize in high-quality air coolers, exhaust fans, and complete ventilation systems including ductwork, supply grills, VCDs, return grills, and more.

MA-5000B/T SPECIFICATIONS:

- Body Material
- Air Flow Capacity
- Fan Direction
- Fan Type
- Fan Diameter
- Fan Blade Material
- Blade Velocity (rpm)
- Fan Speed
- Motor Body Material
- Voltage Type
- Voltage (Volts)
- Frequency Cycle (Hz)
- Power Consumption (A)
- Fan Noise Level (dBA)
- No. of Cooling Pads
- Cooling Pad Size (inch)
- Pad Volume (in3)
- Controller
- Usage/Application
- Water Tank (Liter)
- Pressure at 0 Pa (Pa)
- Intelligent Cleaning
- Water Consumption (L/H)
- Net Weight (Kg)
- Unit Size (inch)
- Country of Origin

- Non-Magnet Stainless Steel /Powder Coated G.I. Body
- 5,000 CFM / 8,500 m3/h
- Base or Top Mounted
- Axial (Direct Drive)
- 20"
- Non-Magnet Stainless Steel
- 1400
- Single Speed
- Aluminum
- Single Phase
- 220
- 50
- 2.2 at Full Speed
- ≤ 65
- 4
- 24 x 30 x 4 (W x H x D)
- 11,520
- Optional
- Industrial
- 55
- ~250-300
- Manual
- 10-20
- ~60
- 36 x 36 x 43 (L x W x H)
- Proudly Made in Pakistan



MA-12KB/T INDUSTRIAL AIR COOLER

Maxima Air's MA-12KB/T air cooler is a cooling powerhouse for large industrial spaces. With a compact 43"x43" footprint, it packs a powerful punch. Its high airflow capacity of 12,000 CFM and large cooling pads ensure efficient temperature control, while the long-lasting 28" stainless steel fan delivers reliable cooling.



For over 30 years, Maxima Air, a Pakistani manufacturer, has been a leader in industrial cooling solutions. We specialize in high-quality air coolers, exhaust fans, and complete ventilation systems including ductwork, supply grills, VCDs, return grills, and more.

MA-12KB/T SPECIFICATIONS:

- Body Material
- •
- Air Flow Capacity
- Fan Direction
- Fan Type
- Fan Diameter
- Fan Blade Material
- Blade Velocity (rpm)
- Fan Speed
- Motor Body Material
- Voltage Type
- Voltage (Volts)
- Frequency Cycle (Hz)
- Power Consumption (A)
- Fan Noise Level (dBA)
- No. of Cooling Pads
- Cooling Pad Size (inch)
- Pad Volume (in3)
- Controller
- Usage/Application
- Water Tank (Liter)
- Pressure at 0 Pa (Pa)
- Intelligent Cleaning
- Water Consumption (L/H)
- Net Weight (Kg)
- Unit Size (inch)
- Country of Origin

- Non-Magnet Stainless Steel /Powder Coated G.I. Body
- 11,800 CFM / 20,000 m3/h
- Base or Top Mounted
- Axial (Direct Drive)
- 28"
- Non-Magnet Stainless Steel
- 1400
- Single Speed
- Aluminum
- 3 Phase
- 400
- 50
- 1.75 at Full Speed
- ≤ 65
- 4
- 31 x 30 x 4 (W x H x D)
- 14,880
- None
- Industrial
- 75
- ~250-350
- Manual
- 10-35
- ~75
- 43 x 43 x 43 (L x W x H)
- Proudly Made in Pakistan



MA-12KS INDUSTRIAL AIR COOLER

Maxima Air's MA-12KS air cooler is a cooling powerhouse for large industrial spaces. With a compact 60"x36" footprint, it packs a punch with a high airflow capacity of 12,000 CFM and large cooling pads for efficient temperature control. The durable unit features a long-lasting 28" fan with stainless steel blades, ensuring cool operation for years to come.



For over 30 years, Maxima Air, a Pakistani manufacturer, has been a leader in industrial cooling solutions. We specialize in high-quality air coolers, exhaust fans, and complete ventilation systems including ductwork, supply grills, VCDs, return grills, and more.

MA-12KB/T SPECIFICATIONS:

- Body Material
- Air Flow Capacity
- Fan Direction
- Fan Type
- Fan Diameter
- Fan Blade Material
- Blade Velocity (rpm)
- Fan Speed
- Motor Body Material
- Voltage Type
- Voltage (Volts)
- Frequency Cycle (Hz)
- Power Consumption (A)
- Fan Noise Level (dBA)
- No. of Cooling Pads
- Cooling Pad Size (inch)
- Pad Volume (in3)
- Controller
- Usage/Application
- Water Tank (Liter)
- Pressure at 0 Pa (Pa)
- Intelligent Cleaning
- Water Consumption (L/H)
- Net Weight (Kg)
- Unit Size (inch)
- Country of Origin

- Non-Magnet Stainless Steel /Powder Coated G.I. Body
- 11,800 CFM / 20,000 m3/h
- Side Mounted
- Axial (Direct Drive)
- 28"
- Non-Magnet Stainless Steel
- 1400
- Single Speed
- Aluminum
- 3 Phase
- 400
- 50
- 1.75 at Full Speed
- ≤ 65
- 4
- 24 x 39 x 4 (W x H x D)
- 14,976
- None
- Industrial
- 175
- ~250-350
- Manual
- 8-35
- ~85
- 60 x 36 x 54 (L x W x H)
- Proudly Made in Pakistan



MA-16KS INDUSTRIAL AIR COOLER

Maximize cooling in expansive industrial areas with the MA-16KS Air Cooler by Maxima Air. This powerhouse delivers a focused blast of cool air with a high airflow capacity of 16,000 CFM and large cooling pads. The durable unit features a space-saving 60"x48" body and a long-lasting 36" stainless steel fan for efficient temperature control.



For over 30 years, Maxima Air, a Pakistani manufacturer, has been a leader in industrial cooling solutions. We specialize in high-quality air coolers, exhaust fans, and complete ventilation systems including ductwork, supply grills, VCDs, return grills, and more.

MA-16KB/T SPECIFICATIONS:

- Body Material
- Air Flow Capacity
- Fan Direction
- Fan Type
- Fan Diameter
- Fan Blade Material
- Blade Velocity (rpm)
- Fan Speed
- Motor Body Material
- Voltage Type
- Voltage (Volts)
- Frequency Cycle (Hz)
- Power Consumption (A)
- Fan Noise Level (dBA)
- No. of Cooling Pads
- Cooling Pad Size (inch)
- Pad Volume (in3)
- Controller
- Usage/Application
- Water Tank (Liter)
- Pressure at 0 Pa (Pa)
- Intelligent Cleaning
- Water Consumption (L/H)
- Net Weight (Kg)
- Unit Size (inch)
- Country of Origin

- Non-Magnet Stainless Steel /Powder Coated G.I. Body
- 16,000 CFM / 27,000 m3/h
- Side Mounted
- Axial (Direct Drive)
- 36"
- SS / Aluminum
- 600
- Single Speed
- Aluminum
- 3 Phase
- 400
- 50
- 4.0 at Full Speed
- ≤ 55
- 5
- 24 x 59 x 4 (W x H x D)
- 22,656
- None
- Industrial
- 200
- ~220-330
- Manual
- 40-70
- ~150
- 60 x 48 x 72 (L x W x H)
- Proudly Made in Pakistan



MA-10KB/T INDUSTRIAL AIR COOLER

Maxima Air's MA-10KB/T air cooler is a space-saving solution for large industrial areas. This compact 43"x43" unit packs a powerful punch with a 10,000 CFM airflow capacity and large cooling pads for efficient temperature control. Its durable build features long-lasting plastic blades on a 24" diameter fan.



For over 30 years, Maxima Air, a Pakistani manufacturer, has been a leader in industrial cooling solutions. We specialize in high-quality air coolers, exhaust fans, and complete ventilation systems including ductwork, supply grills, VCDs, return grills, and more.

MA-10KB/T SPECIFICATIONS:

- Body Material
- Air Flow Capacity
- Fan Direction
- Fan Type
- Fan Diameter
- Fan Blade Material
- Blade Velocity (rpm)
- Fan Speed
- Motor Body Material
- Voltage Type
- Voltage (Volts)
- Frequency Cycle (Hz)
- Power Consumption (A)
- Fan Noise Level (dBA)
- No. of Cooling Pads
- Cooling Pad Size (inch)
- Pad Volume (in3)
- Controller
- Usage/Application
- Water Tank (Liter)
- Pressure at 0 Pa (Pa)
- Intelligent Cleaning
- Water Consumption (L/H)
- Net Weight (Kg)
- Unit Size (inch)
- Country of Origin

- UV Protected Plastic
- 9,500 CFM / 16,000 m3/h
- Base or Top Mounted
- Axial (Direct Drive)
- 24"
- ABS Plastic
- 1400
- 6 Adjustable Speeds
- Aluminum
- 1 Phase
- 220/230
- 50
- 1.5 / 4.3, Low / High Speed
- ≤ 65
- 4
- 30 x 30 x 4 (W x H x D)
- 14,400
- LCD Panel & Remote
- Industrial
- 30
- ~150-250
- Auto
- 20-35
- ~80
- 43 x 43 x 40 (L x W x H)
- Made in China



MA-18KB/T INDUSTRIAL AIR COOLER

Maxima Air's MA-18KB/T air cooler tackles large spaces with cool precision. This industrial workhorse packs a powerful 18,000 CFM airflow and large cooling pads for efficient temperature control. Despite its compact 53"x53" footprint, the durable unit boasts a long-lasting 30" fan for maximum cooling power.



For over 30 years, Maxima Air, a Pakistani manufacturer, has been a leader in industrial cooling solutions. We specialize in high-quality air coolers, exhaust fans, and complete ventilation systems including ductwork, supply grills, VCDs, return grills, and more.

MA-18KB/T SPECIFICATIONS:

- Body Material
- Air Flow Capacity
- Fan Direction
- Fan Type
- Fan Diameter
- Fan Blade Material
- Blade Velocity (rpm)
- Fan Speed
- Motor Body Material
- Voltage Type
- Voltage (Volts)
- Frequency Cycle (Hz)
- Power Consumption (A)
- Fan Noise Level (dBA)
- No. of Cooling Pads
- Cooling Pad Size (inch)
- Pad Volume (in3)
- Controller
- Usage/Application
- Water Tank (Liter)
- Pressure at 0 Pa (Pa)
- Intelligent Cleaning
- Water Consumption (L/H)
- Net Weight (Kg)
- Unit Size (inch)
- Country of Origin

- UV Protected Plastic
- 18,000 CFM / 30,000 m3/h
- Base or Top Mounted
- Axial (Direct Drive)
- 30"
- Pure Plastic
- 1400
- Single Speed
- Aluminum
- 3 Phase
- 220 / 400
- 50
- 13 / 3.5, Low / High Speed
- ≤75
- 4
- 38 x 38 x 4 (W x H x D)
- 23,100
- LCD Panel & Remote
- Industrial
- 55
- ~250-350
- Auto
- 30-45
- ~110
- 53 x 53 x 55 (L x W x H)
- Made in China